BIBLIOGRAPHY

Bibliography of reviews and methods of photosynthesis – 90

Z. ŠESTÁK and J. ČATSKÝ

Institute of Experimental Botany, Academy of Sciences of the Czech Republic, Na Karlovce 1a, CZ-160 00 Praha 6, Czech Republic

REVIEW PAPERS

Åhrling, K.A., Pace, R.J., Evans, M.C.W.: The catalytic manganese cluster: Implications from spectroscopy. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 285-305. Springer, Dordrecht 2005. [101 ref.]

Ashmore, M.R.: Assessing the future global impacts of ozone on vegetation. – Plant Cell Environ. **28**: 949-964, 2005. [163 ref.]

Badger, M.R., Price, G.D., Long, B.M., Woodger, F.J.: The environmental plasticity and ecological genomics of the cyanobacterial CO_2 compensating mechanism. – J. exp. Bot. **57**: 249-265, 2006. [Ps; 62 ref.]

Baier, M., Dietz, K.-J.: Chloroplasts as source and target of cellular redox regulation: a discussion on chloroplast redox signals in the context of plant physiology. – J. exp. Bot. **56**: 1449-1462, 2005. [138 ref.]

Barber, J., Iwata, S.: Refined X-ray structure of Photosystem II and its implications. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 469-489. Springer, Dordrecht 2005. [127 ref.]

Barter, L.M.C., Klug, D.R., Van Grondelle, R.: Energy trapping and equilibration: A balance of regulation and efficiency. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 491-514. Springer, Dordrecht 2005. [180 ref.]

Bechtold, U., Karpinski, S., Mullineaux, P.M.: The influence of the light environment and photosynthesis on oxidative signalling responses in plant-biotrophic pathogen interactions. – Plant Cell Environ. **28**: 1046-1055, 2005. [109 ref.]

Beck, C.F.: Signaling pathways from the chloroplast to the nucleus. – Planta **222**: 743-756, 2005. [109 ref.]

Bédard, J., Jarvis, P.: Recognition and envelope translocation of chloroplast preproteins. – J. exp. Bot. **56**: 2287-2320, 2005. [197 ref.]

Bertrand, M., Poirier, I.: Photosynthetic organisms and excess of metals. – Photosynthetica **43**: 345-353, 2005. [120 ref.]

Bittl, R., Kawamori, A.: Configuration of electron transfer components studied by EPR spectroscopy. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 389-402. Springer, Dordrecht 2005. [77 ref.]

Bricker, T.M., Burnap, R.L.: The extrinsic proteins of Photosystem II. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 95-120. Springer, Dordrecht 2005. [193 ref.]

Brudvig, G.W., Wikström, M.: Mechanistic comparisons between Photosystem II and cytochrome *c* oxidase. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 697-713. Springer, Dordrecht 2005. [103 ref.]

Buchanan, B.B., Balmer, Y.: Redox regulation: A broadening horizon. – Annu. Rev. Plant Biol. **56**: 187-220, 2005. [Ps, thioredoxin; 214 ref.]

Buchanan, B.B., Luan, S.: Redox regulation in the chloroplast thylakoid lumen: a new frontier in photosynthesis research. – J. exp. Bot. **56**: 1439-1447, 2005. [92 ref.]

Budzikiewicz, H., Grisby, R.D.: Mass spectrometry and isotopes: A century of research and discussion. – Mass Spectrometry Rev. **25**: 146-157, 2006. [Ps, C isotopes; 109 ref.]

Chelle, M.: Phylloclimate or the climate perceived by individual plant organs: What is it? How to model it? What for? – New Phytol. **166**: 781-790, 2005. [63 ref.]

Chen, M., Bibby, T.S.: Photosynthetic apparatus of antenna-reaction centres supercomplexes in oxyphotobacteria: insight through significance of Pcb/IsiA proteins. – Photosynth. Res. **86**: 165-173, 2005. [45 ref.]

Cho, M., Brixner, T., Stiopkin, I., Vaswani, H., Fleming, G.R.: Two dimensional electronic spectroscopy of molecular complexes. – J. chin. chem. Soc. **53**: 15-24, 2006. [Ps, Chl; 33 ref.]

Chow, W.S., Aro, E.-M.: Photoinactivation and mechanisms of recovery. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 627-648. Springer, Dordrecht 2005.

———

Abbreviations in the notes: BChl – bacteriochlorophyll; Bil – phycobilins; Car – carotenoids; CC – column chromatography; Chl – chlorophyll; Cyt – cytochrome; GC – gas chromatography; HPLC – high performance liquid chromatography; IRGA – infra-red gas analyser; LAI – leaf area index; PC – paper chromatography; PEPC – phosphoenolpyruvate carboxylase; PAR – photosynthetically active radiation; Ps – photosynthesis; RuBPCO – ribulose-1,5-bisphosphate carboxylase/oxygenase; TLC – thin-layer chromatography; Tr – transpiration; WUE – water use efficiency; ab – abstract; E – English; F – French; G – German; R – Russian; ref. – references.

[169 ref.]
Cove, D., Bezanilla, M., Harries, P., Quatrano, R.: Mosses as model systems for the study of metabolism and development. – Annu. Rev. Plant Biol. **57**: 497-520, 2006. [Ps; 126 ref.]
Debus, R.J.: The catalytic manganese cluster: Protein ligation. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 261-284. Springer, Dordrecht 2005. [123 ref.]
Dembitsky, V.M., Řezanka, T.: Metabolites produced by nitrogen-fixing *Nostoc* species. – Folia microbiol. **50**: 363-391, 2005. [Car, Bil; 151 ref.]
Diner, B.A., Britt, R.D.: The redox-active tyrosines Y_Z and Y_D. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 207-233. Springer, Dordrecht 2005. [175 ref.]
Dismukes, G.C., Ananyev, G.M., Watt, R.: Photo-assembly of the catalytic manganese cluster. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water: Plastoquinone Oxidoreductase. Pp. 609-626. Springer, Dordrecht 2005. [104 ref.]
Dismukes, G.C., Blankenship, R.E.: The origin and evolution of photosynthetic oxygen production. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 683-695. Springer, Dordrecht 2005. [69 ref.]
Dufossé, L., Galaup, P., Yaron, A., Arad, S.M., Blanc, P., Murthy, K.N.C., Ravishankar, G.A.: Microorganisms and microalgae as sources of pigments for food use: a scientific oddity or an industrial reality? – Trends Food Sci. Technol. **16**: 389-406, 2005. [Bil, Car; 95 ref.]
Eaton-Rye, J.J., Putnam-Evans, C.: The CP47 and CP43 core antenna components. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 45-70. Springer, Dordrecht 2005. [162 ref.]
El-Sharkawy, M.A.: How can calibrated research-base models be improved for use as a tool in identifying genes controlling crop tolerance to environmental stresses in the era of genomics – from an experimentalist's perspective. – Photosynthetica **43**: 161-176, 2005. [185 ref.]
Evans, T.C., Jr., Xu, M.-Q., Pradhan, S.: Protein splicing elements and plants: from transgene containment to protein purification. – Annu. Rev. Plant Biol. **56**: 375-392, 2005. [Chloroplast; 25 ref.]
Faller, P., Fufezan, C., Rutherford, A.W.: Side-path electron donors: Cytochrome b_{559}, chlorophyll Z and β-carotene. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 347-365. Springer, Dordrecht 2005. [89 ref.]
Fey, V., Wagner, R., Bräutigam, K., Pfannschmidt, T.: Photosynthetic redox control of nuclear gene expression. – J. exp. Bot. **56**: 1491-1498, 2005. [67 ref.]
Fiscus, E.L., Booker, F.L., Burkey, K.O.: Crop responses to ozone: uptake, modes of action, carbon assimilation and partitioning. – Plant Cell Environ. **28**: 997-1011, 2005. [135 ref.]
Gamaleï, Yu.V.: Rol´ plastid i transportnoï sistemy assimilyatov v regulyatsii razvitiya vysshikh rasteniï. [Role of plastids and assimilate transport system in regulating growth of higher plants.] – Ontogenez **36**: 1-18, 2005. [In R; 105 ref.]
Geigenberger, P., Kolbe, A., Tiessen, A.: Redox regulation of carbon storage and partitioning in response to light and sugars. – J. exp. Bot. **56**: 1469-1479, 2005. [75 ref.]
Gelhaye, E., Rouhier, N., Navrot, N., Jacquot, J.P.: The plant thioredoxin system. – Cell. mol. Life Sci. **62**: 24-35, 2005. [96 ref.]
Giardi, M.T., Pace, E.: Photosynthetic proteins for technological applications. – Trends Biotechnol. **23**: 257-263, 2005. [Biosensors; 40 ref.]
Gibney, B.R., Tommos, C.: *De novo* protein design in respiration and photosynthesis. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 729-751. Springer, Dordrecht 2005. [44 ref.]
Giordano, M., Beardall, J., Raven, J.A.: CO_2 concentrating mechanisms in algae: Mechanisms, environmental modulation, and evolution. – Annu. Rev. Plant Biol. **56**: 99-131, 2005. [213 ref.]
Green, B.R., Gantt, E.: Distal and extrinsic Photosystem II antennas. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 23-44. Springer, Dordrecht 2005. [167 ref.]
Hankamer, B., Barber, J., Nield, J.: Structural analysis of the Photosystem II core/antenna holocomplex by electron microscopy. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 403-424. Springer, Dordrecht 2005. [125 ref.]
Hikosaka, K., Ishikawa, K., Borjigidai, A., Muller, O., Onoda, Y.: Temperature acclimation of photosynthesis: mechanisms involved in the changes in temperature dependence of photosynthetic rate. – J. exp. Bot. **57**: 291-302, 2006. [89 ref.]
Hillier, W., Messinger, J.: Mechanism of photosynthetic oxygen production. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 567-608. Springer, Dordrecht 2005. [270 ref.]
Hisabori, T., Hara, S., Fujii, T., Yamazaki, D., Hosoya-Matsuda, N., Motohashi, K.: Thioredoxin affinity chromatography: a useful method for further understanding the thioredoxin network. – J. exp. Bot. **56**: 1463-1468, 2005. [46 ref.]
Hörtensteiner, S.: Chlorophyll degradation during senescence. – Annu. Rev. Plant Biol. **57**: 55-77, 2006. [135 ref.]
Howe, C.J., Schlarb-Ridley, B.G., Wastl, J., Purton, S., Bendall, D.S.: The novel cytochrome c_6 of chloroplasts: a case of evolutionary *bricolage*? – J. exp. Bot. **57**: 13-22, 2006. [66 ref.]
Ishida, K.: Protein targeting into plastids: a key to understanding the symbiogenetic acquisitions of plastids. – J. Plant Res. **118**: 237-245, 2005. [91 ref.]
Iverson, T.M.: Evolution and unique bioenergetic mechanisms in oxygenic photosynthesis. – Curr. Opinion chem. Biol. **10**: 91-100, 2006. [60 ref.]
Kálmán, L., Williams, J.C., Allen, J.P.: Mimicking the properties of Photosystem II in bacterial reaction centers. –

In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 715-727. Springer, Dordrecht 2005. [64 ref.]

Karnosky, D.F., Pregitzer, K.S., Zak, D.R., Kubiske, M.E., Hendrey, G.R., Weinstein, D., Nosal, M., Percy, K.E.: Scaling ozone responses of forest trees to the ecosystem level in a changing climate. – Plant Cell Environ. **28**: 965-981, 2005. [Canopy access walkways, Ps; 90 ref.]

Kehoe, D.M., Gutu, A.: Responding to color: The regulation of complementary chromatic adaptation. – Annu. Rev. Plant Biol. **57**: 127-150, 2006. [Ps; 113 ref.]

Kessler, D., Papenbrock, J.: Iron-sulfur biosynthesis in photosynthetic organisms. – Photosynth. Res. **86**: 391-407, 2005. [82 ref.]

Kutschera, U., Niklas, K.J.: The modern theory of biological evolution: an expanded synthesis. – Naturwissenschaften **91**: 255-276, 2004. [168 ref.]

Kutschera, U., Niklas, K.J.: Endosynbiosis, cell evolution, and speciation. – Theory Biosci. **124**: 1-24, 2005. [Chloroplast; 104 ref.]

Květoň, J., Durchan, M., Roháček, K., Šantrůček, J., Vácha, F., Šesták, Z.: Pavel Šiffel (1954-2003) or Life full of chlorophyll. – Photosynthetica **43**: 323-328, 2005. [44 ref.]

Larkum, A.W.D., Kühl, M.: Chlorophyll *d*: the puzzle resolved. – Trends Plant Sci. **10**: 355-357, 2005. [14 ref.]

Ledford, H.K., Niyogi, K.K.: Singlet oxygen and photooxidative stress management in plants and algae. – Plant Cell Environ. **28**: 1037-1045, 2005. [98 ref.]

Lu, X.-M., Yin, W.B., Hu, Z.-M.: Chloroplast transformation. – In: Loyola-Vargas, V.M., Vázquez-Flota, F. (ed.): Plant Cell Culture Protocols. Pp. 285-303. Humana Press, Totowa – New Jersey 2006. [61 ref.]

Magnuson, A., Styring, S., Hammarström, L.: Understanding Photosystem II function by artificial photosynthesis. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 753-775. Springer, Dordrecht 2005. [97 ref.]

Manter, D.K., Kerrigan, J.: *A/C*i curve analysis across a range of woody plant species: influence of regression analysis parameters and mesophyll conductance. – J. exp. Bot. **55**: 2581-2588, 2004. [24 ref.]

Maple, J., Møller, S.G.: An emerging picture of plastid division in higher plants. – Planta **223**: 1-4, 2005. [33 ref.]

Marmaroti, P., Galanopoulou, D.: Pupils' understanding of photosynthesis: A questionnaire for the simultaneous assessment of all aspects. – Int. J. Sci. Educ. **28**: 383-403, 2006. [33 ref.]

Matyssek, R., Le Thiec, D., Löw, M., Dizengremel, P., Nunn, A.J., Häberle, K.-H.: Interactions between drought and O_3 stress in forest trees. – Plant Biol. **8**: 11-17, 2006. [74 ref.]

McEvoy, J.P., Gascon, J.A., Batista, V.S., Brudvig, G.W.: The mechanism of photosynthetic water splitting. – Photochem. photobiol. Sci. **4**: 940-949, 2005. [98 ref.]

Melis, A., Chen, H.-C.: Chloroplast sulfate transport in green algae – genes, proteins and effects. – Photosynth. Res. **86**: 299-307, 2005. [68 ref.]

Melkozernov, A.N., Barber, J., Blankenship, R.E.: Light harvesting in photosystem I supercomplexes. – Biochemistry **45**: 331-345, 2006. [150 ref.]

Meyer, A.J., Hell, R.: Glutathione homeostasis and redox-regulation by sulfhydryl groups. – Photosynth. Res. **86**: 435-457, 2005. [Thioredoxin; 193 ref.]

Meyer, Y., Reichheld, J.P., Vignols, F.: Thioredoxins in *Arabidopsis* and other plants. – Photosynth. Res. **86**: 419-433, 2005. [83 ref.]

Miyagishima, S.-Y.: Origin and evolution of the chloroplast division machinery. – J. Plant Res. **118**: 295-306, 2005. [117 ref.]

Mommer, L., Pons, T.L., Visser, E.J.W.: Photosynthetic consequences of phenotypic plasticity in response to submergence: *Rumex palustris* as a case study. – J. exp. Bot. **57**: 283-290, 2006. [65 ref.]

Mooij, W.M., Hülsmann, S., Domis, L.N., de Nolet, B.A., Bodelier, P.L.E., Boers, P.C.M., Pires, L.M.D., Gons, H.J., Ibelings, B.W., Noordhuis, R., Portielje, R., Wolfstein, K., Lammens, E.H.R.R.: The impact of climate change on lakes in the Netherlands: a review. – Aquat. Ecol. **39**: 381-400, 2005. [164 ref.]

Mullineaux, P.M., Rausch, T.: Glutathione, photosynthesis and the redox regulation of stress-responsive gene expression. – Photosynth. Res. **86**: 459-474, 2005. [122 ref.]

Nambara, E., Marion-Poll, A.: Abscisic acid biosynthesis and catabolism. – Annu. Rev. Plant Biol. **56**: 165-185, 2005. [Car; 131 ref.]

Nelson, N., Ben-Shem, A.: The complex architecture of oxygenic photosynthesis. – Nature Rev. mol. Cell Biol. **5**: 971-982, 2004. [107 ref.]

Nelson, N., Ben-Shem, A.: The structure of photosystem I and evolution of photosynthesis. – Bioassays **27**: 914-922, 2005. [65 ref.]

Nelson, N., Yocum, C.F.: Structure and function of photosystems I and II. – Annu. Rev. Plant Biol. **57**: 521-565, 2006. [324 ref.]

Nishiyama, Y., Allakhverdiev, S.I., Murata, N.: Inhibition of the repair of Photosystem II by oxidative stress in cyanobacteria. – Photosynth. Res. **84**: 1-7, 2005. [45 ref.]

Nixon, P.J., Sarcina, M., Diner, B.A.: The D1 and D2 core proteins. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 71-93. Springer, Dordrecht 2005. [215 ref.]

Noguchi, T., Berthomieu, C.: Molecular analysis by vibrational spectroscopy. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 367-387. Springer, Dordrecht 2005. [150 ref.]

Nott, A., Jung, H.-S., Koussevitzky, S., Chory, J.: Plastid-to-nucleus retrograde signalling. – Annu. Rev. Plant Biol. **57**: 739-759, 2006. [Chl; 95 ref.]

Nozaki, H.: A new scenario of plastid evolution: plastid primary endosymbiosis before the divergence of the "Plantae", emended. – J. Plant Res. **118**: 247-255, 2005. [68 ref.]

Paoletti, E., Grulke, N.E.: Does living in elevated CO_2 ameliorate tree response to ozone? A review on stomatal responses. – Environ. Pollut. **137**: 483-493, 2005. [Ps; 128 ref.]

Petrouleas, V., Crofts, A.R.: The iron-quinone acceptor complex. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem

II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 177-206 Springer, Dordrecht 2005. [217 ref.]

Pfannschmidt, T.: Acclimation to varying light qualities: Toward the functional relationship of state transitions and adjustment of photosystem stoichiometry. – J. Phycol. **41**: 723-725, 2005. [20 ref.]

Pogson, B.J., Rissler, H.M., Frank, H.A.: The role of carotenoids in energy quenching. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water: Plastoquinone Oxidoreductase. Pp. 515-537. Springer, Dordrecht 2005. [192 ref.]

Raval, M.K., Biswal, B., Biswal, U.C.: The mystery of oxygen evolution: analysis of structure and function of Photosystem II, the water-plastoquinone oxido-reductase. – Photosynth. Res. **85**: 267-293, 2005. [324 ref.]

Renger, G., Holzwarth, A.R.: Primary electron transfer. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 139-175. Springer, Dordrecht 2005. [236 ref.]

Römer, S., Fraser, P.D.: Recent advances in carotenoid biosynthesis, regulation and manipulation. – Planta **221**: 305-308, 2005. [37 ref.]

Sage, R.F., McKown, A.D.: Is C_4 photosynthesis less phenotypically plastic than C_3 photosynthesis? – J. exp. Bot. **57**: 303-317, 2006. [127 ref.]

Satoh, K., Wydrzynski, T.J., Govindjee: Introduction to Photosystem II. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 11-22. Springer, Dordrecht 2005. [103 ref.]

Scheibe, R., Backhausen, J.E., Emmerlich, V., Holtgrefe, S.: Strategies to maintain redox homeostasis during photosynthesis under changing conditions. – J. exp. Bot. **56**: 1481-1489, 2005. [89 ref.]

Schoefs, B.: Protochlorophyllide reduction – what is new in 2005? – Photosynthetica **43**: 329-343, 2005. [97 ref.]

Šesták, Z., Čatský, J.: Bibliography of reviews and methods of photosynthesis – 89. – Photosynthetica **43**: 621-640, 2005. [553 ref.]

Shen, J.-R., Kamiya, N.: 3D crystal structure of the Photosystem II core. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 449-467. Springer, Dordrecht 2005. [98 ref.]

Shinkarev, V.: Flash-induced oxygen evolution and other oscillatory processes. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 539-565. Springer, Dordrecht 2005. [69 ref.]

Sinclair, T.R., Purcell, L.C.: Is a physiological perspective relevant in a "genocentric" age? – J. exp. Bot. **56**: 2777-2782, 2005. [Ps; 12 ref.]

Smith, A.M., Zeeman, S.C., Smith, S.M.: Starch degradation. – Annu. Rev. Plant Biol. **56**: 73-98, 2005. [Chloroplast; 128 ref.]

Taylor, M., Ramsay, G.: Carotenoid biosynthesis in plant storage organs: recent advances and prospects for improving plant food quality. – Physiol. Plant. **124**: 143-151, 2005. [65 ref.]

Telfer, A.: Too much light? How β-carotene protects the photosystem II reaction centre. – Photochem. photobiol. Sci. **4**: 950-956, 2005. [68 ref.]

Terashima, I., Hanba, Y.T., Tazoe, Y., Vyas, P., Yano, S.: Irradiance and phenotype: comparative eco-development of sun and shade leaves in relation to photosynthetic CO_2 diffusion. – J. exp. Bot. **57**: 343-354, 2006. [77 ref.]

Theg, S.M., Shi, L.-X.: Protein transport and post-translational processing in Photosystem II biosynthesis and homeostasis. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 669-682. Springer, Dordrecht 2005. [99 ref.]

Thornton, L.E., Roose, J.L., Pakrasi, H.B., Ikeuchi, M.: The low molecular weight proteins of Photosystem II. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 121-137. Springer, Dordrecht 2005. [109 ref.]

Van Gorkom, H.J., Yocum, C.F.: The calcium and chloride cofactors. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 307-327. Springer, Dordrecht 2005. [133 ref.]

Van Rensen, J.J.S., Klimov, V.V.: Bicarbonate interactions. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 329-345. Springer, Dordrecht 2005. [87 ref.]

Vandermeiren, K., Black, C., Pleijel, H., De Temmerman, L.: Impact of rising tropospheric ozone on potato: effects on photosynthesis, growth, productivity and yield quality. – Plant Cell Environ. **28**: 982-996, 2005. [Ps; 95 ref.]

Walker, T.L., Purton, S., Becker, D.K., Collet, C.: Microalgae as bioreactors. – Plant Cell Rep. **24**: 629-641, 2005. [128 ref.]

Weber, A.P.M., Schwacke, R., Flugge, U.-I.: Solute transporters of the plastid envelope membrane. – Annu. Rev. Plant Biol. **56**: 133-164, 2005. [155 ref.]

Weber, H., Borisjuk, L., Wobus, U.: Molecular physiology of legume seed development. – Annu. Rev. Plant Biol. **56**: 253-279, 2005. [Ps, plastids; 166 ref.]

Wingler, A., Purdy, S., MacLean, J.A., Pourtau, N.: The role of sugars in integrating environmental signals during the regulation of leaf senescence. – J. exp. Bot. **57**: 391-399, 2006. [Ps, Chl; 75 ref.]

Witt, H.T.: Photosystem II: Structural elements, the first 3D crystal structure and functional implications. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 425-447. Springer, Dordrecht 2005. [114 ref.]

Yachandra, V.K.: The catalytic manganese cluster: Organization of the metal ions. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 235-260 Springer, Dordrecht 2005. [121 ref.]

Yamaguchi, K., Mayfield, S.P., Sugita, M.: Transcriptional and translational regulation of Photosystem II gene expression. – In: Wydrzynski, T.J., Satoh, K. (ed.): Photosystem II. The Light-Driven Water:Plastoquinone Oxidoreductase. Pp. 649-668. Springer, Dordrecht 2005. [183 ref.]

METHODOLOGICAL PAPERS

A. Energy transformation, electron transfer, C fixation, and related methods

Albert, K.R., Mikkelsen, T.N., Ro-Poulsen, H.: Effects of ambient versus reduced UV-B radiation on high arctic *Salix arctica* assessed by measurements and calculations of chlorophyll *a* fluorescence parameters from fluorescence transients. – Physiol. Plant. **124**: 208-226, 2005. [Models.]

Amunts, A., Ben-Shem, A., Nelson, N.: Solving the structure of plant photosystem I – biochemistry is vital. – Photochem. photobiol. Sci. **4**: 1011-1015, 2005. [Model.]

Ananyev, G., Dismukes, G.C.: How fast can Photosystem II split water? Kinetic performance at high and low frequencies. – Photosynth. Res. **84**: 355-365, 2005. [Model.]

Andrés, J., Oliva, M., Safont, V.S., Moliner, V., Tapia, O.: Transition-state structures for describing the enzyme-catalyzed mechanisms of rubisco. – Theor. Chem. Accounts **101**: 234-240, 1999. [Model.]

Baffert, C., Romain, S., Richardot, A., Leprêtre, J.-C., Lefebvre, B., Deronzier, A., Collomb, M.-N.: Electrochemical and chemical formation of $[Mn_4^{IV}O_5(terpy)_4(H_2O)_2]^{6+}$, in relation with the photosystem II oxygen-evolving center model $[Mn_2^{III,IV}O_2(terpy)_2(H_2O)_2]^{3+}$. – J. amer. chem. Soc. **127**: 13694-13704, 2005.

Barber, J., Nield, J., Morris, E.P., Hankamer, B.: Subunit positioning in photosystem II revisited. – Trends biol. Sci. **24**: 43-45, 1999.

Cape, J.L., Bowman, M.K., Kramer, D.M.: Understanding the cytochrome *bc* complexes by what they don't do. The Q-cycle at 30. – Trends Plant Sci. **11**: 46-55, 2006. [Models; review, 60 ref.]

Cournac, L., Mus, F., Bernard, L., Guedeney, G., Vignais, P., Peltier, G.: Limiting steps of hydrogen production in *Chlamydomonas reinhardtii* and *Synechocystis* PCC 6803 as analysed by light-induced gas exchange transients. – Int. J. Hydrogen Energy **27**: 1229-1237, 2002. [Models.]

Dani, D.N., Sainis, J.K.: Isolation and characterization of a thylakoid membrane module showing partial light and dark reactions. – Biochim. biophys. Acta **1669**: 43-52, 2005.

Dau, H., Haumann, M.: Considerations on the mechanism of photosynthetic water oxidation – dual role of oxo-bridges between Mn ions in (i) redox-potential maintenance and (ii) proton abstraction from substrate water. – Photosynth. Res. **84**: 325-331, 2005. [Models.]

Díaz-Moreno, I., Díaz-Quintana, A., Molina-Heredia, F.P., Nieto, P.M., Hansson, Ö., De La Rosa, M.A., Karlsson, B.G.: NMR analysis of the transient complex between membrane photosystem I and soluble cytochrome c_6. – J. biol. Chem. **280**: 7925-7931, 2005. [Model.]

Díaz-Moreno, I., Díaz-Quintana, A., Ubbink, M., De La Rosa, M.A.: An NMR-based docking model for the physiological transient komplex between cytochrome *f* and cytochrome c_6. – FEBS Lett. **579**: 2891-2896, 2005.

Eaton-Rye, J.J.: Requirements for different combinations of the extrinsic proteins in specific cyanobacterial Photosystem II mutants. – Photosynth. Res. **84**: 275-281, 2005. [Model.]

Essen, L.-O., Siegert, R., Lehmann, W.D., Oesterhelt, D.: Lipid patches in membrane protein oligomers: Crystal structure of bacteriorhodopsin-lipid complex. – Proc. nat. Acad. Sci. USA **95**: 11673-11678, 1998. [Model.]

Goltsev, V., Chernev, P., Zaharieva, I., Lambrev, P., Strasser, R.J.: Kinetics of delayed chlorophyll *a* fluorescence registered in milliseconds time range. – Photosynth. Res. **84**: 209-215, 2005. [Model.]

Gomes-Laranjo, J., Salgado, P., Wong Fong Sang, H.W., Kraayenhof, R., Torres-Pereira, J.: Isolation of chestnut chloroplasts: Membrane potentials of chestnut and spinach thylakoids. – Photosynthetica **43**: 237-246, 2005.

Hasegawa, J., Nakatsuji, H.: Mechanism and unidirectionality of the electron transfer in the photosynthetic reaction center of *Rhodopseudomonas viridis*: SAC-CI theoretical study. – J. phys. Chem. B **102**: 10420-10430, 1998. [Model.]

Hendler, R.W.: An apparent general solution for the kinetic models of the bacteriorhodopsin photocycles. – J. phys. Chem. B **109**: 16515-16528, 2005.

Hendrickson, L., Förster, B., Pogson, B.J., Chow, W.S.: A simple chlorophyll fluorescence parameter that correlates with the rate coefficient of photoinactivation of Photosystem II. – Photosynth. Res. **84**: 43-49, 2005.

Hienerwadel, R., Gourion-Arsiquaud, S., Ballottari, M., Bassi, R., Diner, B.A., Berthomieu, C.: Formate binding near the redox-active $Tyrosine_D$ in Photosystem II: consequences on the properties of Tyr_D. – Photosynth. Res. **84**: 139-144, 2005. [Model.]

Holzwarth, A.R., Müller, M.G., Reus, M., Nowaczyk, M., Sander, J., Rögner, M.: Kinetics and mechanism of electron transfer in intact photosystem II and in the isolated reaction center: Pheophytin is the primary electron acceptor. – Proc. nat. Acad. Sci. USA **103**: 6895-6900, 2006. [Models.]

Chow, W.S., Lee, H.-Y., He, J., Hendrickson, L., Hong, Y.-N., Matsubara, S.: Photoinactivation of Photosystem II in leaves. – Photosynth. Res. **84**: 35-41, 2005. [Model.]

Irving, L.J., Robinson, D.: A dynamic model of Rubisco turnover in cereal leaves. – New Phytol. **169**: 493-504, 2006.

Iwamoto, K., Shiraiwa, Y.: Technical improvement in the purification of enzymes from red algae using an aqueous two-phase partitioning system. – Phycol. Res. **53**: 164-168, 2005.

Jahren, A.H., Petersen, G., Seberg, O.: Plant DNA: A new substrate for carbon stable isotope analysis and a potential paleoenvironmental indicator. – Geology **32**: 241-244, 2004. [Ps, $\delta^{13}C$.]

Janssen, M., Patiño, R., Stockar, U. von: Application of bench-scale biocalorimetry to photoautotrophic cultures. – Thermochim. Acta **435**: 18-27, 2005. [Scheme of device,

irradiation system.]
Jolley, C., Ben-Shem, A., Nelson, N., Fromme, P.: Structure of plant photosystem I revealed by theoretical modeling. – J. biol. Chem. **280**: 33627-33636, 2005.
Kawamori, A., Ono, T.-A., Ishii, A., Nakazawa, S., Hara, H., Tomo, T., Minagawa, J., Bittl, R., Dzuba, S.A.: The functional sites of chlorophylls in D1 and D2 subunits of Photosystem II identified by pulsed EPR. – Photosynth. Res. **84**: 187-192, 2005. [Model.]
Kern, J., Loll, B., Zouni, A., Saenger, W., Irrgang, K.-D., Biesiadka, J.: Cyanobacterial Photosystem II at 3.2 Å resolution – the plastoquinone binding pockets. – Photosynth. Res. **84**: 153-159, 2005. [Model.]
Kobayashi, M., Watanabe, S., Gotoh, T., Koizumi, H., Itoh, Y., Akiyama, M., Shiraiwa, Y., Tsuchiya, T., Miyashita, H., Mimuro, M., Yamashita, T., Watanabe, T.: Minor but key chlorophylls in Photosystem II. – Photosynth. Res. **84**: 201-207, 2005. [Models.]
Kósa, A., Márton, Z., Böddi, B.: Fast phototransformation of the 636 nm-emitting protochlorophyllide form in epicotyls of dark-grown pea (*Pisum sativum*). – Physiol. Plant. **124**: 132-142, 2005. [Model.]
Kriek, M., Neylon, C., Roach, P.L., Clark, I.P., Parker, A.W.: New and simple setup for the study on microvolume frozen samples using Raman spectroscopy. – Rev. sci. Instrum. **76**: DOI: 10.1063/1.2054486, 2005.
Kurayama, F., Matsuyama, T., Yamamoto, H.: A feasibility study of a new photosynthesis bioreactor design using TiO_2 particles combined with enzymes. – Adv. Powder Technol. **15**: 51-61, 2004.
Kurayama, F., Matsuyama, T., Yamamoto, H.: Kinetic study of a new photosynthesis bioreactor design using TiO_2 particles combined with enzymes. – Adv. Powder Technol. **16**: 517-533, 2005. [Artificial photosynthesis.]
Lee, S.C., Chien, L.F., Van, R.C., Hsiao, Y.Y., Hong, J.L., Pan, R.L.: Radiation inactivation analysis of thylakoid protein kinase systems in light and in darkness. – Photosynthetica **44**: 116-124, 2006. [Model.]
MacKenzie, T.D.B., Johnson, J.M., Campbell, D.A.: Dynamics of fluxes through photosynthetic complexes in response to changing light and ionorganic carbon acclimation in *Synechococcus elongatus*. – Photosynth. Res. **85**: 341-357, 2005. [Calculation formulae for PS2 activity.]
Marchese, J.A., Ming, L.C., Ducati, C., Broetto, F., Da Silva, E.: Carbon isotope composition as a tool to control the quality of herbs and medicinal plants. – Photosynthetica **44**: 155-159, 2006. [$\delta^{13}C$.]
Mesquita, R.C., Mansanares, A.M., Da Silva, E.C., Barja, P.R., Miranda, L.C.M., Vargas, H.: Open acoustic cell: Applications in plant photosynthesis studies. – Instrument. Sci. Technol. **34**: 33-58, 2006. [Review, 43 ref.]
Mino, H., Itoh, S.: The origin of split EPR signals in the Ca^{2+}-depleted Photosystem II. – Photosynth. Res. **84**: 333-337, 2005.
Nakatsuji, H., Hasegawa, J., Ohkawa, K.: Excised states and electron transfer mechanism in the photosynthetic reaction center of *Rhodopseudomonas viridis*: SAC-CI study. – Chem. Phys. Lett. **296**: 499-504, 1998. [Models.]
Palenčár, P., Vácha, F., Kutý, M.: Force field development on pigments of photosystem 2 reaction centre. – Photosynthetica **43**: 417-420, 2005.
Quiles, M.J.: Photoinhibition of photosystems I and II using chlorophyll fluorescence measurements. – J. biol. Educ. **39**: 136-138, 2005.
Reinot, T., Zazubovich, V., Hayes, J.M., Small, G.J.: New insigns on persistent nonphotochemical hole burning and its application to photosynthetic complexes. – J. phys. Chem. B **105**: 5083-5098, 2001.
Ross, P., Tronson, D., Ritchie, R.J.: Modelling photosynthesis to increase conceptual understanding. – J. biol. Educ. **40**: 84-88, 2005.
Şener, M.K., Jolley, C., Ben-Shem, A., Fromme, P., Nelson, N., Croce, R., Schulte, K.: Comparison of the light-harvesting networks of plant and cyanobacterial photosystem I. – Biophys. J. **89**: 1630-1642, 2005. [Models.]
Shinkarev, V.P., Zybailov, B., Vassiliev, I.R., Golbeck, J.H.: Modeling of the $P700^+$ charge recombination kinetics with phylloquinone and plastoquinone-9 in the A_1 site of photosystem I. – Biophys. J. **83**: 2885-2897, 2002.
Štys, D., Schoefberger, W., Halbhuber, Z., Ristvejova, J., Müller, N., Ettrich, R.: Secondary structure estimation of recombinant *psbH*, encodding a photosynthetic membrane protein of cyanobacterium *Synechocystis* sp. PCC 6803. – Photosynthetica **43**: 421-424, 2005. [Model.]
Suzuki, T., Ohta, H., Enami, I.: Cross-reconstitution of the extrinsic proteins and Photosystem II complexes from *Chlamydomonas reinhardtii* and *Spinacia oleracea*. – Photosynth. Res. **84**: 239-244, 2005. [Model.]
Synková, H., Schnablová, R., Hušák, M., Šiffel, P., Bumba, L., Hunalová, I., Čeřovská, N., Vácha, F.: Isolation and characterization of paracrystalline structures from transgenic P*ssu-ipt* tobacco. – Photosynthetica **43**: 509-517, 2005.
Tyystjärvi, E., Hakala, M., Sarvikas, P.: Mathematical modelling of the light response curve of photoinhibition of Photosystem II. – Photosynth. Res. **84**: 21-27, 2005.
Vaitekonis, S., Trinkunas, G., Valkunas, L.: Red chlorophylls in the exciton model of Photosystem I. – Photosynth. Res. **86**: 185-201, 2005.
Van Grondelle, R., Novoderezhkin, V.I.: Energy transfer in photosynthesis: experimental insights and quantitative models. – Phys. Chem. chem. Phys. **8**: 793-807, 2006.
Walters, M.A., Roche, C.L., Rheingold, A.L., Kassel, S.W.: N-H…S hydrogen bonds in a ferredoxin model. – Inorg. Chem. **44**: 3777-3779, 2005.
Wang, W.W., Knopf, G.K., Bassi, A.S.: Photoelectric properties of a detector based on dried bacteriorhodopsin film. – Biosensors Bioelectronics **21**: 1309-1319, 2006. [Scheme of the photodetector.]
Zhu, X.-G., Govindjee, Baker, N.R., deSturler, E., Ort, D.R., Long, S.P.: Chlorophyll *a* fluorescence induction kinetics in leaves predicted from a model describing each discrete step of excitation energy and electron transfer associated with Photosystem II. – Planta **223**: 114-133, 2005.

B. Analysis of chloroplast pigments and their *in vivo* complexes

Andrizhiyevskaya, E.G., Chojnicka, A., Bautista, J.A., Diner, B.A., Van Grondelle, R., Dekker, J.P.: Origin of the F685 and F695 fluorescence in Photosystem II. – Photosynth. Res. **84**: 173-180, 2005. [Model.]

Balaban, T.S.: Relevance of the diastereotopic ligation of magnesium atoms of chlorophylls in the major light-harvesting complex II (LHC II) of green plants. – Photosynth. Res. **86**: 251-262, 2005. [Models.]

Baranski, R., Baranska, M., Schulz, H.: Changes in carotenoid content and distribution in living plant tissue can be observed and mapped in situ using NIF-FT-Raman spectroscopy. – Planta **222**: 448-457, 2005.

Becker, F., Rhiel, E.: Immuno-electron microscopic quantification of the fucoxanthin chlorophyll *a/c* binding polypeptides Fcp2, Fcp4, and Fcp6 of *Cyclotella cryptica* grown under low- and high-light intensities. – Int. Microbiol. **9**: 29-36, 2006. [Immunogold labelling of ultrathin cell sections.]

Belefant-Miller, H., Miller, G.H., Rutger, J.N.: Non-destructive measurement of carotenoids in plant issues by fluorescence quenching. – Crop Sci. **45**: 1786-1789, 2005.

Bicanic, D., Luterotti, S., Becucci, M., Fogliano, V., Versloot, P.: Photoacoustic measurement of lutein in biological matrix. – J. Phys. IV France **125**: 825-828, 2005. [Experimental set-up.]

Cavender-Bares, J., Bazzaz, F.A.: From leaves to ecosystems: Using chlorophyll fluorescence to assess photosynthesis and plant function in ecological studies. – In: Papageorgiou, G.C., Govindjee (ed.): Chlorophyll *a* Fluorescence. A Signature of Photosynthesis. Pp. 737-755. Springer, Dordrecht 2004. [Review, 109 ref.]

Colyer, C.L., Kinkade, C.S., Viskari, P.J., Landers, J.P.: Analysis of cyanobacterial pigments and proteins by electrophoretic and chromatographic methods. – Anal. bioanal. Chem. **382**: 559-569, 2005. [Review; 88 ref.]

Cseh, Z., Vianelli, A., Rajagopal, S., Krumova, S., Kovács, L., Papp, E., Barzda, V., Jennings, R., Garab, G.: Thermo-optically induced recognizations in the main light harvesting antenna of plants. I. Non-Arrhenius type of temperature dependence and linear light-intensity dependencies. – Photosynth. Res. **86**: 263-273, 2005. [Models.]

Falkowski, P.G., Koblížek, M., Gorbunov, M., Kolber, Z.: Development and application of variable chlorophyll fluorescence techniques in marine ecosystems. – In: Papageorgiou, G.C., Govindjee (ed.): Chlorophyll *a* Fluorescence. A Signature of Photosynthesis: Pp. 757-778. Springer, Dordrecht 2004. [Review, 69 ref.]

Feltl, L., Pacáková, V., Štulík, K., Volka, K.: Reliability of carotenoid analyses: A review. – Curr. anal. Chem. **1**: 93-102, 2005. [Review, 130 ref.]

Frassanito, R., Cantonati, M., Tardio, M., Mancini, I., Guella, G.: On-line identification of secondary metabolites in freshwater microalgae and cyanobacteria by combined liquid chromatography–photodiode array detection–mass spectrometric techniques. – J. Chromatogr. A **1082**: 33-42, 2005.

Frigaard, N.-U., Li, H., Martinsson, P., Das, S.K., Frank, H.A., Aartsma, T.J., Bryant, D.A.: Isolation and characterization of carotenosomes from a bacteriochlorophyll *c*-less mutant of *Chlorobium tepidum*. – Photosynth. Res. **86**: 101-111, 2005.

Georgakopoulou, S., Van Grondelle, R., Van der Zwan, G.: Explaining the visible and near-infrared circular dichroism spectra of light-harvesting 1 complexes from purple bacteria. A modeling study. – J. phys. Chem. B **110**: 3344-3353, 2006.

Gregor, J., Maršálek, B.: Freshwater phytoplankton quantification by chlorophyll *a*: a comparative study of *in vitro*, *in vivo* and *in situ* methods. – Water Res. **38**: 517-522, 2004.

Gregor, J., Maršálek, B.: A simple *in vivo* fluorescence method for the selective detection and quantification of freshwater cyanobacteria and eukaryotic algae. – Acta hydrochim. hydrobiol. **33**: 142-148, 2005.

Hochberg, E.J., Apprill, A.M., Atkinson, M.J., Bidigare, R.R.: Bio-optical modeling of photosynthetic pigments in corals. – Coral Roefs **25**: 99-109, 2006.

Hölzel, R., Calander, N., Chiragwandi, Z., Willander, M., Bier, F.F.: Trapping single molecules by dielectrophoresis. – Phys. Rev. Lett. **95**: 128102-1-128102-4, 2005. [Phycoerythrin model.]

Hori, T., Aratani, N., Takagi, A., Matsumoto, T., Kawai, T., Yoon, M.-C., Yoon, Z.S., Cho, S., Kim, D., Osuka, A.: Giant porphyrin wheels with large electronic coupling as models of light-harvesting photosynthetic antenna. – Chemistry eur. J. **12**: 1319-1327, 2006.

Kalita, D., Morisue, M., Kobuke, Y.: Synthesis and electrochemical properties of slipped-cofacial porphyrin dimers of ferrocene-functionalized Zn-imidazolyl-porphyrins as potential terminal electron donors in photosynthetic models. – New J. Chem. **30**: 77-92, 2006.

Kolb, C.A., Schreiber, U., Gademann, R., Pfündel, E.E.: UV-A screening in plants determined using a new portable fluorimeter. – Photosynthetica **43**: 371-377, 2005.

Kolber, Z., Klimov, D., Ananyev, G., Rascher, U., Berry, J., Osmond, B.: Measuring photosynthetic parameters at a distance: laser induced fluorescence transient (LIFT) method for remote measurements of photosynthesis in terrestrial vegetation. – Photosynth. Res. **84**: 121-129, 2005.

Lababpour, A., Lee, C.-G.: Simultaneous measurement of chlorophyll and astaxanthin in *Haematococcus pluvialis* cells by first-order derivative ultraviolet-visible spectrophotometry. – J. Biosci. Bioeng. **101**: 104-110, 2006. [Comparison in different solvents.]

Lesellier, E., Tchapla, A.: A simple subcritical chromatographic test for an extended ODS high performance liquid chromatography column classification. – J. Chromatogr. A **1100**: 45-59, 2005. [Car.]

Lesellier, E., West, C., Tchapla, A.: Classification of special octodecyl-bonded phases by the carotenoid test. – J. Chromatogr. A **1111**: 62-70, 2006.

Lichtenthaler, H.K., Buschmann, C., Knapp, M.: How to correctly determine the different chlorophyll fluorescence parameters and the chlorophyll fluorescence decrease ratio

R_{Fd} of leaves with the PAM fluorometer. – Photosynthetica **43**: 379-393, 2005.

Lichtenthaler, H.K., Langsdorf, G., Lenk, S., Buschmann, C.: Chlorophyll fluorescence imaging of photosynthetic activity with the flash-lamp fluorescence imaging system. – Photosynthetica **43**: 355-369, 2005.

Liu, Z., Pawliszyn, J.: Application of capillary isoelectric focusing with liquid-core waveguide laser-induced fluorescence whole-column imaging detection. – Anal. Biochem. **336**: 94-101, 2005. [Phycobiliproteins, experimental set-up.]

Melkozernov, A.N., Kargul, J., Lin, S., Barber, J., Blankenship, R.E.: Spectral and kinetic analysis of the energy coupling in the PS I-LHC I supercomplex from the green alga *Chlamydomonas reinhardtii* at 77 K. – Photosynth. Res. **86**: 203-215, 2005. [Model.]

Murillo-Amador, B., Avila-Serrano, N.Y., García-Hernández, J.L., López-Aguilar, R., Troyo-Diéguez, E., Kaya, C.: Relationship between a nondestructive and an extraction method for measuring chlorophyll contents in cowpea leaves. – J. Plant Nutr. Soil Sci. **167**: 363-364, 2004.

Murphy, R.J., Tolhurst, T.J., Chapman, M.G., Underwood, A.J.: Estimation of surface chlorophyll-*a* on an emersed mudflat using field spectrometry: accuracy of ratios and derivative-based approaches. – Int. J. remote Sens. **26**: 1835-1859, 2005.

Nedbal, L., Březina, V., Červený, J., Trtílek, M.: Photosynthesis in dynamic light: systems biology of unconventional chlorophyll fluorescence transients in *Synechocystis* sp. PCC 6803. – Photosynth. Res. **84**: 99-106, 2005. [Model.]

Padyana, A.K., Ramakumar, S.: Lateral energy transfer model for adjacent light-harvesting antennae rods of C-phycocyanins. – Biochim. biophys. Acta **1757**: 161-165, 2006.

Papagiannakis, E., Van Stokkum, I.H.M., Fey, H., Büchel, C., Van Grondelle, R.: Spectroscopic characterization of the excitation energy transfer in the fucoxanthin-chlorophyll protein of diatoms. – Photosynth. Res. **86**: 241-250, 2005. [Model.]

Renzullo, L.J., Blanchfield, A.L., Guillermin, R., Powell, K.S., Held, A.A.: Comparison of PROSPECT and HPLC estimation of leaf chlorophyll contents in a grapevine stress study. – Int. J. remote Sensing **27**: 817-823, 2006.

Reuss, N., Conley, D.J.: Effects of sediment storage conditions on pigment analyses. – Limnol. Oceanogr. Methods **3**: 477-487, 2005.

Sakamoto, A., Matsuno, S., Tasumi, M.: Construction of picosecond time-resolved Raman spectrometers with near-infrared excitation. – J. Raman Spectrosc. **37**: 429-435, 2006. [β-carotene.]

Schansker, G., Strasser, R.J.: Quantification of non-Q_B-reducing centers in leaves using a far-red pre-illumination. – Photosynth. Res. **84**: 145-151, 2005.

Stoń-Egiert, J., Kosakowska, A.: RP-HPLC determination of phytoplankton pigments–comparison of calibration results for two columns. – Mar. Biol. **147**: 251-260, 2005.

Thomassen, P.J., Foekema, J., Lluch, R.J., Thordarson, P., Elemans, J.A.A.W., Nolte, R.J.M., Rowan, A.E.: Self-assembly studies of allosteric photosynthetic antenna model systems. – New J. Chem. **30**: 148-155, 2006.

Trinkunas, G., Freiberg, A.: A disordered polaron model for polarized fluorescence excitation spectra of LH1 and LH2 bacteriochlorophyll antenna aggregates. – J. Luminescence **119**: 105-110, 2006.

Urboniene, V., Vrublevskaja, O., Gall, A., Trinkunas, G., Robert, B., Valkunas, L.: Temperature broadening of LH2 absorption in glycerol solution. – Photosynth. Res. **86**: 49-59, 2005. [Model.]

Wang, G., Zhou, B., Zeng, C.: Isolation, properties and spatial site analysis of γ subunits of B-phycoerythrin and R-phycoerythrin. – Sci. China **C 41**: 9-17, 1998.

Wang, W.-J., Wang, G.-C., Zhang, M., Tseng, C.K.: Isolation of fucoxanthin from the rhizoid of *Laminaria japonica* Aresch. – J. integr. Plant Biol. **47**: 1009-1015, 2005.

Wasmund, N., Topp, I., Schories, D.: Optimising the storage and extraction of chlorophyll samples. – Oceanologia **48**: 125-144, 2006.

Zapata, M.: Recent advances in pigment analysis as applied to picophytoplankton. – Vie Milieu **55**: 233-248, 2005. [Review, 118 ref.]

C. Analysis of gas exchange and accumulation of dry matter and energy

Beck, S.L., Visser, G., Dunlop, R.W.: A comparison of direct (flow cytometry) and indirect (stomatal guard cell lengths and chloroplast numbers) techniques as a measure of ploidy in black wattle, *Acacia mearnsii* (de Wild). – South afr. J. Bot. **71**: 354-358, 2005.

Büchner, B., Korpiun, P.: Modeling the thermal part of pulse modulated photoacoustic effect on leaves. – J. Phys. IV France **125**: 697-699, 2005.

Buckley, T.N., Roberts, D.W.: DESPOT, a process-based tree growth model that allocates carbon to maximize carbon gain. – Tree Physiol. **26**: 129-144, 2006.

Buckley, T.N., Roberts, D.W.: How should leaf area, sapwood area and stomatal conductance vary with tree height to maximize growth? – Tree Physiol. **26**: 145-157, 2006. [Model.]

Burrows, E.H., Bubier, J.L., Mosedale, A., Cobb, G.W., Crill, P.M.: Net ecosystem exchange of carbon dioxide in a temperate poor fen: a comparison of automated and manual chamber techniques. – Biogeochemistry **76**: 21-45,2005.

Cegelski, L., Schaefer, J.: NMR determination of photorespiration in intact leaves using *in vivo* $^{13}CO_2$ labeling. – J. magnetic Resonance **178**: 1-10, 2006.

Combe, L.: Nouvelle méthode de suivi au champ de la sénescence des feuilles de maïs. – Can. J. Bot. **83**: 941-953, 2005.

Czóbel, S., Fóti, S., Balogh, J., Nagy, Z., Bartha, S., Tuba, Z.: Chamber series and space-scale analysis of CO_2 gas-exchange in grassland vegetation: A novel approach. – Photosynthetica **43**: 267-272, 2005. [CO_2 and H_2O gas

exchange chambers.]
Dudeja, S.S., Chaudhary, P.: Fast chlorophyll fluorescence transient and nitrogen fixing ability of chickpea nodulation variants. – Photosynthetica **43**: 253-259, 2005. [Phenomenological leaf, models.]
Dugan, N.R.: Using Dirichlet tessellation to help estimate microbial biomass concentrations. – J. microbiol. Methods **63**: 205-210, 2005. [Cyanobacteria.]
Jávorfi, T., Erostyák, J., Gál, J., Buzády, A., Menczel, L., Garab, G., Naqvi, K.R.: Quantitative spectrophotometry using integrating cavities. – J. Photochem. Photobiol. B **82**: 127-131, 2006. [Isolated chloroplasts.]
Johnson, D.M., Smith, W.K.: Refugial forests of the southern Appalachians: photosynthesis and survival in current-year *Abies fraseri* seedlings. – Tree Physiol. **25**: 1379-1387, 2005. [Model of carbon gain.]
Kagawa, A., Sugimoto, A., Yamashita, K., Abe, H.: Temporal photosynthetic carbon isotope signatures revealed in a tree ring through $^{13}CO_2$ pulse-labelling. – Plant Cell Environ. **28**: 906-915, 2005. [^{13}C pulse-labelling apparatus.]
Komatsu, H., Kumagai, T., Hotta, N.: Is surface conductance theoretically independent of reference height? – Hydrolog. Processes **19**: 339-347, 2005.
Korpiun, P., Büchner, B.: Modeling photoacoustic pulse measurements of oxygen evolution and carbondioxid uptake in leaves during photosynthesis. – J. Phys. IV France **125**: 701-703, 2005.
Mattson, W.J., Julkunen-Tiitto, R., Herms, D.A.: CO_2 enrichment and carbon partitioning to phenolics: do plant responses accord better with the protein competition ir the growth differentiation balance models? – Oikos **111**: 337-347, 2005.
Miyazawa, S.-I., Livingston, N.J., Turpin, D.H.: Stomatal development in new leaves is related to the stomatal conductance of mature leaves in poplar (*Populus trichocarpa* × *P. deltoides*). – J. exp. Bot. **57**: 373-380, 2006. [Scheme of cuvette system.]
Newsham, K.K., Geissler, P.A., Nicolson, M.J., Peat, H.J., Lewis-Smith, R.I.: Sequential reduction of UV-B radiation in the field alters the pigmentation of an Antarctic leafy liverwort. – Environ. exp. Bot. **54**: 22-32, 2005. [Small hole screen.]
Phattaralerphong, J., Sinoquet, H.: A method for 3D reconstruction of tree crown volume from photographs: assessment with 3D-digitized plants. – Tree Physiol. **25**: 1229-1242, 2005.
Pilarski, J., Rajba, S.: Measurement of light gradient in plant organs with a fiber optic microprobe. – Acta Physiol. Plant. **26**: 405-410, 2004.
Rascher, U., Bobich, E.G., Osmond, C.B.: The "Kluge-Lüttge Kammer": A preliminary evaluation of an enclosed, Crassulacean acid metabolism (CAM) mesocosm that allows separation of synchronized and desynchronized contributions of plants to whole system gas exchange. – Plant Biol. **8**: 167-174, 2006.
Scotfort, I.M., Miller, P.C.H.: Estimating tiller density and leaf area index of winter wheat using spectral reflectance and ultrasonic sensing techniques. – Biosystems Eng. **89**: 395-408, 2004.
Wang, Y., MacKenzie, T., Morse, D.: Purification of plastids from the dinoflagellate *Lingulodinium*. – Mar. Biotechnol. **7**: 659-668, 2005.
Whitehead, D., Griffin, K.L., Turnbull, M.H., Tissue, D.P., Engel, V.C., Brown, K.J., Schuster, W.S.F., Walcroft, A.S.: Response of total daily photosynthesis for leaves in a *Quercus rubra* L. canopy: implications for modeling canopy CO_2 exchange. – Global Change Biol. **10**: 925-838, 2004.

D. Canopies and aquatic communities: analysis of structure, production, and mass and energy exchange

Ahn, Y.H., Shanmugam, P., Moon, J.E.: Retrieval of ocean colour from high resolution multi-spectral imagery for monitoring highly dynamic ocean features. – Int. J. remote Sensing **27**: 367-392, 2006. [Model.]
Ahuja, L.R., Ma, L., Timlin, D.J.: Trans-disciplinary soil physics research critical to synthesis and modeling of agricultural systems. – Soil Sci. Soc. Amer. J. **70**: 311-326, 2006.
Alagarswamy, G., Boote, K.J., Allen, L.H., Jr., Jones, J.W.: Evaluating the CROPGRO-soybean model ability to simulate photosynthesis response to carbon dioxide levels. – Agron. J. **98**: 34-42, 2006.
Allen, J.I., Blackford, J.C., Radford, P.J.: An 1-D vertically resolved modelling study of the ecosystem dynamics of the middle and southern Adriatic Sea. – J. mar. Syst. **18**: 265-286, 1998.
Aranibar, J.N., Berry, J.A., Riley, W.J., Pataki, D.E., Law, B.E., Ehleringer, J.R.: Combining meteorology, eddy fluxes, isotope measurements, and modeling to understand environmental controls of carbon isotope discrimination at the canopy scale. – Global Change Biol. **12**: 710-730, 2006.
Bauerle, W.L., Timlin, D.J., Pachepsky, Y.A., Anantharamu, S.: Adaptation of the biological simulation model MAESTRA for use in a generic user interface. – Agron. J. **98**: 220-228, 2006.
Baums, A.-B., Goldberg, V., Bernhofer, C.: Upgrading the coupled vegetation boundary layer model HIRVAC by new soil water and interception modules. – Meteorol. Zeit. **14**: 211-218, 2005.
Beck, P.S.A., Atzberger, C., Høgda, K.A., Johansen, B., Skidmore, A.K.: Improved monitoring of vegetation dynamics at very high latitudes: A new method using MODIS NDVI. – Remote Sens. Environ. **100**: 321-334, 2006.
Bénié, G.B., Kaboré, S.S., Goïta, K., Courel, M.-F.: Remote sensing-based spatio-temporal modeling to predict biomass in Sahelian grazing ecosystem. – Ecol. Modell. **184**: 341-354, 2005.
Blanco, J.A., Zavala, M.A., Imbert, J.B., Castillo, F.J.: Sustainability of forest management practices: Evaluation through a simulation model of nutrient cycling. – Forest Ecol. Manage. **213**: 209-228, 2005.
Boles, S., Wofsy, S., Moore III, B., Ojima, D.: Modeling

gross primary production of temperate deciduous broadleaf forest using satellite images and climate data. – Remote Sens. Environ. **91**: 256-270, 2004.

Branco, A.B., Kremer, J.N.: The relative importance of chlorophyll and colored dissolved organic matter (CDOM) to the prediction of the diffuse attenuation coefficient in shallow estuaries. – Estuaries **28**: 643-652, 2005.

Broström, G.: A note of the C/N and C/P ration of the biological production in the Nordic seas. – Tellus **50B**: 93-109, 1998. [Model.]

Çamdevýren, H., Demýr, N., Kanik, A., Keskýn, S.: Use of principal component scores in multiple linear regression models for prediction of *Chlorophyll-a* in reservoirs. – Ecol. Modell. **181**: 581-589, 2005.

Carreiras, J.M.B., Pereira, J.M.C., Pereira, J.S.: Estimation of tree canopy cover in evergreen oak woodlands using remote sensing. – Forest Ecol. Manage. **223**: 45-53, 2006.

Cho, H.J., Poirrier, M.A.: A model to estimate potential submersed aquatic vegetation habitat based on studies in Lake Pontchartrain, Louisiana. – Restoration Evol. **13**: 623-629, 2005.

Corp, L.A., Middleton, E.M., McMurtrey, J.E., Entcheva Campbell, P.K., Butcher, L.M.: Fluorescence sensing techniques for vegetation assessment. – Appl. Optics **45**: 1023-1033, 2006.

Crise, A., Allen, J.I., Baretta, J., Crispi, G., Mosetti, R., Solidoro, C.: The Mediterranean pelagic ecosystem response to physical forcing. – Progr. Oceanogr. **44**: 219-243, 1999. [Models; review, 57 ref.]

Davi, H., Dufrêne, E., Granier, A., Le Dantec, V., Barbaroux, C., François, C., Bréda, N.: Modelling carbon and water cycles in a beech forest. Part II: Validation of the main processes from organ to stand scale. – Ecol. Modell. **185**: 387-405, 2005.

Davies-Colley, R.J., Rutherford, J.C.: Some approaches for measuring and modelling riparian shade. – Ecol. Engin. **24**: 525-530, 2005.

Devred, E., Fuentes-Yacco, C., Sathyendranath, S., Caverhill, C., Maass, H., Stuart, V., Platt, T., White, G.: A semi-analytic seasonal algorithm to retrieve chlorophyll-*a* concentration in the Northwest Atlantic Ocean from SeaWiFS data. – Indian J. mar. Sci. **34**: 356-367, 2005. [Model.]

Dingkuhn, M., Luquet, D., Kim, H., Tambour, L., Clement-Vidal, A.: *EcoMeristem*, a model of morphogenesis and competition among sinks in rice. 2. Simulating genotype responses to phosphorus deficiency. – Funct. Plant Biol. **33**: 325-337, 2006.

Dodds, W.K., Biggs, B.J.F., Lowe, R.L.: Photosynthesis-irradiance patterns in benthic microalgae: variations as a function of assemblage thickness and community structure. – J. Phycol. **35**: 42-53, 1999. [Model.]

Doxaran, D., Cherukuru, N., Lavender, S.J.: Apparent and inherent optical properties of turbid estuarine waters: measurements, empirical quantification relationships, and modeling. – Appl. Opt. **45**: 2310-2324, 2006.

Dransfeld, S., Tatnall, A.R., Robinson, I.S., Mobley, C.D.: Prioritizing ocean colour channels by neural network input reflectance perturbation. – Int. J. remote Sens. **26**: 1043-1048, 2005.

Dufrêne, E., Davi, H., François, C., le Maire, G., Le Dantec, V., Granier, A.: Modelling carbon and water cycles in a beech forest. Part I: Model description and uncertainty analysis on modelled NEE. – Ecol. Modell. **185**: 407-436, 2005.

Duursma, R.A., Marshall, J.D., Nippert, J.B., Chambers, C.C., Robinson, A.P.: Estimating leaf-level parameters for ecosystem process models: a study in mixed conifer canopies on complex terrain. – Tree Physiol. **25**: 1347-1359, 2005.

East, T.L., Sharfstein, B.: Development of a decision tree model for the prediction of the limitation potential of phytoplankton in Lake Okeechobeen Florida, USA. – Arch. Hydrobiol. **165**: 127-144, 2006.

Erlandsson, C.P., Stigebrandt, A.: Increased utility of the Secchi disk to assess eutrophication in coastal waters with freshwater run-off. – J. mar. Systems **60**: 19-29, 2006.

Evans, D.L., Roberts, S.D., Parker, R.C.: LiDAR – A new tool for forest measurements? – Forestry Chronicle **82**: 211-218, 2006. [Light Detection and Ranging.]

Evans, N.T., Short, F.T.: Functional trajectory models for assessment of transplanted eelgrass, *Zostera marina* L., in the Great Bay Estuary, New Hampshire. – Estuaries **28**: 936-947, 2005.

Felzer, B., Reilly, J., Melillo, J., Kicklighter, D., Sarofim, M., Wang, C., Prinn, R., Zhuang, Q.: Future effects of ozone on carbon sequestration and climate change policy using a global biogeochemical model. – Climatic Change **73**: 345-373, 2005.

Feng, H., Campbell, J.W., Dowell, M.D., Moore, T.S.: Modeling spectral reflectance of optically complex waters using bio-optical measurements from Tokyo Bay. – Remote Sensing Environ. **99**: 232-243, 2005.

Fujii, M., Yoshie, N., Yamanaka, Y., Chai, F.: Simulated biogeochemical responses to iron enrichments in three high nutrient, low chlorophyll (HNLC) regions. – Progr. Oceanogr. **64**: 307-324, 2005. [Model.]

Ghirardi, M.L., King, P.W., Posewitz, M.C., Maness, P.C., Fedorov, A., Kim, K., Cohen, J., Schulten, K., Seibert, M.: Approaches to developing biological H_2-photoproducing organisms and processes. – Biochem. Soc. Trans. **33**: 70-72, 2005. [Model.]

Gower, J., King, S., Borstad, G., Brown, L.: Detection of intense plankton blooms using the 709 nm band of the MERIS imaging spectrometer. – Int. J. remote Sensing **26**: 2005-2012, 2005.

Greaver, T., Sternberg, L. da S.L., Schaffer, B., Modero, T.: An empirical method of measuring CO_2 recycling by isotopic enrichment of respired CO_2. – Agr. Forest Meteorol. **128**: 67-79, 2005.

Grégoire, M., Beckers, J.M.: Modeling the nitrogen fluxes in the Black Sea using a 3D coupled hydrodynamical-biogeochemical model: transport versus biogeochemical processes, exchanges across the shelf break and comparison of the shelf and deep sea ecodynamics. – Biogeosciences **1**: 33-61, 2004.

Hicke, J.A.: MCEP and GISS solar ratiation data sets available for ecosystem modeling: Description, differences, and impacts on net primary production. – Global biogeochem. Cycles **19**(2), GB2006, doi: 10.1029/2004GB002391,

2005.

Higgins, S.N., Hecky, R.E., Guildford, S.J.: Modeling the growth, biomass, and of *Cladophora glomerata* tissue phosphorus concentration in eastern Lake Erie: Model description and field testing. – J. Great Lakes Res. **31**: 439-455, 2005.

Huisman, J., van Oostveen, P., Weissing, F.J.: Species dynamics in phytoplankton blooms: Incomplete mixing and competition for light. – Amer. Natur. **54**: 46-68, 1999. [Model.]

Huisman, J., Weissing, F.J.: Biodiversity of plankton by species oscillations and chaos. – Nature **402**: 407-410, 1999. [Model.]

Jesus, B., Brotas, V., Marani, M., Paterson, D.M.: Spatial dynamics of microphytobenthos determined by PAM fluorescence. – Estuar. coast. Shelf Sci. **65**: 30-42, 2005.

Kameda, T., Ishizaka, J.: Size-fractionated primary production estimated by a two-phytoplankton community model applicable to ocean color remote sensing. – J. Oceanogr. **61**: 663-672, 2005.

Kim, Y., Wang, G.L.: Modeling seasonal vegetation variation and its validation against Moderate Resolution Imaging spectroradiometer (MODIS) observations over North America. – J. geophys. Res. **110**(D4)2005.

Kish, P.A.: Evaluation of herbicide impact on periphyton community structure using the Matlock periphytometer. – J. Freshwater Ecol. **21**: 341-348, 2006.

Komatsu, H.: Relation between canopy height and the reference value of surface conductance for closed coniferous stands. – Hydrolog. Processes **17**: 2503-2517, 2003.

Koné, V., Machu, E., Penven, P., Andersen, V., Garçon, V., Fréon, P., Demarco, H.: Modeling the primary and secondary productions of the southern Benguela upwelluing system: A comparative study through two biogeochemical models. – Global biogeochem. Cycles **19**(4): doi:10.1029/2004GB002427, 2005.

Kutser, T.: Quantitative detection of chlorophyll in cyanobacterial blooms by satellite remote sensing. – Limnol. Oceanogr. **49**: 2179-2189, 2004. [Model.]

Kutser, T., Dekker, A.G., Skirving, W.: Modeling spectral discrimination of Great Barrier Reff benthic communities by remote sensing instruments. – Limnol. Oceanogr. **48**: 497-510, 2003.

Kutser, T., Pierson, D.C., Kallio, K.Y., Reinart, A., Sobek, S.: Mapping lake CDOM by satellite remote sensing. – Remote Sens. Environ. **94**: 535-540, 2005. [Coloured dissolved organic matter.]

Kutser, T., Pierson, D.C., Tranvik, L., Reinart, A., Sobek, S., Kallio, K.: Using satellite remote sensing to estimate the colored dissolved organic matter absorption coefficient in lakes. – Ecosystems **8**: 1-14, 2005.

Lavoie, D., Denman, K., Michel, C.: Modeling ice algal growth and decline in a seasonally ice-covered region of the Arctic (Resolute Pasasage, Canadian Archipelago). – J. geophys. Res. **110**(C11009): doi:10.1029/2005JC002922, 2005.

Lee, J.H., Arega, F.: Eutrophication dynamics of Tolo Harbour, Hong Kong. – Mar. Pollut. Bull. **39**: 187-192, 1999. [Model.]

Lee, Z., Carder, K.L., Mobley, C.D., Steward, R.G., Patch, J.S.: Hyperspectral remote sensing for shallow waters: 2. Deriving bottom depths and water propertiers by optimization. – Appl. Optics **38**: 3831-3843, 1999. [Model.]

Lee, Z.-P., Darecki, M., Carder, K.L., Davis, C.O., Stramski, D., Rhea, W.J.: Diffuse attenuation coefficient of downwelling irradiance: An evaluation of remote sensing methods. – J. geophys. Res. **110**: C0217, doi:10/1029/2004JC002573, 2005.

Li, Y., Shang, S., Zhang, C., Ma, X., Huang, L., Wu, J., Zeng, Y.: Remote sensing of algal blooms using a turbidity-free function for near-infrared and red signals. – Chin. Sci. Bull. **51**: 464-471, 2006.

Liu, Z., Stewart, G., Cochran, J.K., Lee, C., Armstrong, R.A., Hirschberg, D.J., Gasser, B., Miquel, J.-C.: Why do POC concentrations measured using Niskin bottle collections sometimes differ from those using *in-situ* pumps? – Deep-Sea Res. I **52**: 1324-1344, 2005. [Particulate organic carbon; comparison of methods.]

Manninen, T., Stenberg, P., Rautiainen, M., Voipio, P., Smolander, H.: Leaf area index estimation of boreal forest using ENVISA ASAR. – IEEE Trans. Geosci. remote Sens. **43**: 2627-2635, 2005.

Marcelli, M., Caburazzi, M., Perilli, A., Piermattei, V., Fresi, E.: Deep chlorophyll maximum distribution in the central Tyrrhenian Sea described by a towed undulating vehicle. – Chem. Ecol. **21**: 351-367, 2005.

Marks, C.O., Lechowicz, M.J.: A holistic tree seedling model for the investigation of functional trait diversity. – Ecol. Modell. **193**: 141-181, 2006.

Martineau, Y., Saugier, B.: Comportement contre-intuitif d'une modèle mécaniste de succession végétale. – Compt. rend. Biol. **329**: 21-30, 2006.

Maselli, F., Chirici, G., Bottai, L., Corona, P., Marchetti, M.: Estimation of Mediterranean forest attributes by the application of k-NN procedures to multitemporal Landsat ETM+ images. – Int. J. remote Sens. **26**: 3781-3796, 2005.

Medlyn, B.E., Berbigier, P., Clement, R., Grelle, A., Loustau, D., Linder, S., Wingate, L., Jarvis, P.G., Sigurdsson, B.D., McMurtrie, R.E.: Carbon balance of coniferous forests growing in contrasting climates: Model-based analysis. – Agr. Forest Meteorol. **131**: 97-124, 2005.

Milchunas, D.G., Mosier, A.R., Morgan, J.A., LeCain. D.R., King, J.Y., Nelson, J.A.: Root production and tissue quality in a shortgrass steppe exposed to elevated CO_2: Using a new ingrowth method. – Plant Soil **268**: 111-122, 2005.

Millard, E.S., Fee, E.J., Myles, D.D., Dahl, J.A.: Comparison of phytoplankton photosynthesis methodology in Lakes Erie, Ontario, the Bay of Quinte and the Northwest Ontario Lake Size Series. – In: Munawar, M., Edsall, T., Munawar, I.F.: (ed.): State of Lake Erie (SOLE): Past, Present and Future. Pp. 441-468. Buckhuys Publ., Leiden 1999.

Millie, D.F., Weckman, G.R., Paerl, H.W., Pinckney, J.L., Bendis, B.J., Pigg, R.J., Fahnenstiel, G.L.: Neural net modeling of estuarine indicators: Hindcasting phytoplankton biomass and net ecosystem production in the Neuse (North Carolina) and Trout (Florida) rivers, USA. – Ecol. Indicators **6**: 589-608, 2006.

Millie, D.F., Weckman, G.R., Pigg, R.J., Tester, P.A.,

Dyble, J., Litaker, R.W., Carrick, H.J., Fahnenstiel, G.L.: Modeling phytoplankton abundance in Saginaw Bay, Lake Huron: Using artificial neural networks to discern functional influence of environmental variables and relevance to a great lakes observing system. – J. Phycol. **42**: 336-349, 2006.

Monje, O., Stutte, G., Chapman, D.: Microgravity does not alter plant stand gas exchange of wheat at moderate light levels and saturating CO_2 concentration. – Planta **222**: 336-345, 2005. [Scheme of biomass production system.]

Mõttus, M., Sulev, M.: Radiation fluxes and canopy transmittance: Models and measurements inside a willow canopy. – J. geophys. Res. **111** (D02109): doi: 10.1029/2005JD005932, 2006.

Murphy, R.J., Underwood, A.J., Pinkerton, M.H., Range, P.: Field spectrometry: New methods to investigate epilithic micro-algae on rocky shores. – J. exp. mar. Biol. Ecol. **325**: 111-124, 2005.

Nakata, K., Doi, T.: Estimation of primary production in the ocean using a physical-biological coupled ocean carbon cycle model. – Environ. Modell. Software **21**: 204-228, 2006.

Nowak, R.S., Ellsworth, D.S., Smith, S.D.: Functional responses of plants to elevated atmospheric data from FACE experiments support early predictions? – New Phytol. **162**: 253-280, 2004. [Review, 150 ref.]

Oren, R., Hseih, C.I., Stoy, P., Albertson, J., McCarthy, H.R., Harrell, P., Katul, G.G.: Estimating the uncertainty in annual net ecosystem carbon exchange: spatial variation in turbulent fluxes and sampling errors in eddy-covariance measurements. – Global Change Biol. **12**: 883-896, 2006.

Peña, J.P., Tarara, J.: A portable whole canopy gas exchange system for several mature field-grown grapevines. – Vitis **43**: 7-14, 2004.

Peters, L., Scheifhacken, N., Kahlert, M., Rothhaupt, K.-O.: An efficient *in situ* method for sampling periphyton in lakes and streams. – Arch. Hydrobiol. **163**: 133-141, 2005.

Sampson, D.A., Waring, R.H., Maier, C.A., Gough, C.M., Ducey, M.J., Johnsen, K.H.: Fertilization effects on forest carbon storage and exchange, and net primary production: A new hybrid process model for stand management. – Forest Ecol. Manage. **221**: 91-109, 2006.

Schlerf, M., Atzberger, C.: Inversion of a forest reflectance model to estimate structural canopy variables from hyperspectral remote sensing data. – Remote Sens. Environ. **100**: 281-294, 2006.

Schmidtlein, S.: Imaging spectroscopy as a tool for mapping Ellenberg indicator values. – J. appl. Ecol. **42**: 966-974, 2005.

Schober, E., Kurmayer, R.: Evaluation of different DNA sampling techniques for the application of the real-time PCR method for the quantification of cyanobacteria in water. – Lett. appl. Microbiol. **42**: 412-417, 2006.

Siswanto, E., Ishizaka, J., Yokouchi, K.: Optimal primary production model and parametrization in the eastern East China Sea. – J. Oceanogr. **62**: 361-372, 2006.

Smyth, T.J., Tilstone, G.H., Groom, S.B.: Integration of radiative transfer into satellite models of ocean primary production. – J. geophys. Res. - Oceans **110** (C10014): doi:10.1029/2004JC002784, 2005.

Sokoletsky, L., Dubinsky, Z., Shoshany, M., Stambler, N.: Estimation od phytoplankton pigment concentration in the Gulf of Aqaba (Eilat) by *in situ* and remote sensing-wavelength algoritrms. – Int. J. remote Sens. **24**: 5049-5073, 2003.

Sonohat, G., Balandier, P., Ruchaud, F.: Predicting solar radiation transmittance in the understory of even-aged coniferous stands in temperate forests. – Ann. Forest Sci. **61**: 629-641, 2004.

Szekielda, K.H.: Use of the first and second chlorophyll absorption bands for marine biogeochemical patch recognition. – Indian J. mar. Sci. **34**: 387-395, 2005.

Takahashi, W., Kawamura, H.: Detection method of the Kuroshio front using the satellite-derived chlorophyll-*a* images. – Remote Sens. Environ. **97**: 83-91, 2005.

Testi, L., Orgaz, F., Villalobos, F.J.: Variations in bulk canopy conductance of an irrigated olive (*Olea europaea* L.) orchard. – Environ. exp. Bot. **55**: 15-28, 2006. [Model.]

Thingstad, T.F.: Simulating the response to phosphate additions in the oligotrophic eastern Mediterranean using an idealized four-member microbial food web model. – Deep-Sea Res. II **52**: 3074-3089, 2005.

Tian, Y., Zhu, Y., Cao, W.: Monitoring leaf photosynthesis with canopy spectral reflectance in rice. – Photosynthetica **43**: 481-489, 2005. [Remote sensing.]

Vallino, J.J., Hopkinson, C.S., Garritt, R.H.: Estimating estuarine gross production, community respiration and net ecosystem production: a nonlinear inverse technique. – Ecol. Modell. **187**: 281-296, 2005.

van Donk, E., Santamaría, L., Mooij, W.M.: Climate warming causes regime shifts in lake food webs? A reassessment. – Limnol. Oceanogr. **48**: 1350-1353, 2003. [Model.]

Wangersky, P.J.: Methods of sampling and analysis and our concepts of ocean dynamics. – Scientia marina **69** (Suppl. 1): 75-84, 2005. [Review; 60 ref.]

Watts, L.J., Kumari, B., Maass, H.: Applications of remotely-sensed ocean colour data in the Arabian Sea: A review. – Indian J. mar. Sci. **34**: 396-407, 2005.

Werdell, P.J., Bailey, S.W.: An improved *in-situ* bio-optical data set for ocean color algorithm development and satellite data product validation. – Remote Sens. Environ. **98**: 122-140, 2005.

Xiao, X., Zhang, Q., Brasswell, B., Urbanski, S., Boles, S., Wofsy, S., Moore, B., III, Ojima, D.: Modeling gross primary production of temperate deciduous broadleaf forest using satellite images and climate data. – Remote Sens. Environ. **91**: 256-270, 2004.

Xiao, X., Zhang, Q., Hollinger, D., Aber, J., Moore, B., III,: Modeling gross primary production of an evergreen needleleaf forest using MODIS and climate data. – Ecol. Appl. **15**: 954-969, 2005. [Ps.]

Xu, J., Hood, R.R., Chao, S.-Y.: A simple empirical optical model for simulating light attenuation variability in a partially mixed estuary. – Estuaries **28**: 572-580, 2005.

Yoshie, N., Fujii, M., Yamanaka, Y.: Ecosystem changes after the SEEDS iron fertilization in the western North Pacific simulated by a one-dimensional ecosystem model. – Progr. Oceanogr. **64**: 283-306, 2005.

Yoshimoto, M., Oue, H., Kobayashi, K.: Energy balance and water use efficiency of rice canopies under free-air CO_2 enrichment. – Agr. Forest Meteorol. **133**: 226-246, 2005.

Zavala, M.A.: A model of stand dynamics for holm Oak-Aleppo Pine Forests. – Ecol. Stud. **137** [Rodà, F. *et al.* (ed.): Ecology of Mediterranean Evergreen Oak Forests]: 106-117, 1999.

Zavala, M.A., de la Parra, R.B.: A mechanistic model of tree competition and facilitation for Mediterranean forests: Scaling from leaf physiology to stand dynamics. – Ecol. Modell. **188**: 76-92, 2005.

Zavala, M.A., Zea, E.: Mechanisms maintaining biodiversity in Mediterranean pine-oak forests: insigns from a spatial simulation model. – Plant Ecol. **171**: 197-207, 2004.

Zippel, B., Neu, T.R.: Growth and structure of phototrophic biofilms under controlled light conditions. – Water Sci. Technol. **52**: 203-209, 2005.

E. Measurement of leaf area, and surface and volume of plant organs

Arora, V.K., Boer, G.J.: A parameterization of leaf phenology for the terrestrial ecosystem component of climate models. – Global Change Biol. **11**: 39-59, 2005.

Blanco, F.F., Folegatti, M.V.: A new metod for estimating the leaf area index of cucumber and tomato plants. – Horticult. bras. **21**: 668-671, 2003.

Blanco, F.F., Folegatti, M.V.: Estimations of leaf area for greenhouse cucumber by linear measurements under salinity and grafting. – Scientia agr. (Piracicaba) **62**: 305-309, 2005.

Davi, H., Soudani, K., Deckx, T., Dufrêne, E., Le Dantec, V., François, C.: Estimation of forest leaf area index from SPOT imagery using NDVI distribution over forest stands. – Int. J. remote Sens. **27**: 885-902, 2006.

De Sousa, E.F., Araujo, M.C., Posse, R.P., Detmann, E., Bernardo, S., Berbert, P.A., Dos Santos, P.A.: Estimating the total leaf area of the green dwarf coconut tree (*Cocos nucifera* L.). – Sci. agricola (Piracicaba) **62**: 597-600, 2005.

Dovey, S.B., du Toit, B.: Calibration of LAI-2000 canopy analyser with leaf area index in a young eucalypt stand. – Trees **20**: 273-277, 2006.

Gaeckle, J.L., Short, F.T., Ibarra-Obando, S.E., Meling-López, A.E.: Sheath length as a monitoring tool for calculating leaf growth in eelgrass (*Zostera marina* L.). – Aquat. Bot. **84**: 226-232, 2006.

Gamper, H.: Nondestructive estimates of leaf area in white clover using predictive formulae: The contribution of genotype identity to trifoliate leaf area. – Crop Sci. **45**: 2552-2556, 2005.

Heiskanen, J.: Estimating aboveground tree biomass and leaf area index in a mountain birch forest using ASTER satellite data. – Int. J. remote Sens. **27**: 1135-1158, 2006.

Igathinathane, C., Prakash, V.S.S., Padma, U., Babu, G.R., Womac, A.P.: Interactive computer software development for leaf area measurement. – Computers Electronics Agr. **51**: 1-16, 2006.

Ishida, M.: Automatic thresholding for digital hemispherical photography. – Can. J. Forest Res. **34**: 2208-2216, 2004.

Kalácska, M., Sánchez-Azofeifa, A., Caelli, T., Rivard, B., Boerlage, B.: Estimating leaf area index from satellite imagery using Bayesian networks. – IEEE Trans. Geosci. remote Sensing **43**: 1866-1873, 2005.

Lopes, C., Monteiro, A., Rückert, F.E., Gruber, B., Stenberg, B., Schultz, H.R.: Transpiration of grapevines and co-habitating cover crop and weed species in a vineyard. A "snapshot" at diurnal trends. – Vitis **43**: 111-117, 2004. [Scanned leaf images.]

Lopes, C., Pinto, P.A.: Easy and accurate estimation of grapevine leaf area with simple mathematical models. – Vitis **44**: 55-61, 2005.

Rautiainen, M.: Retrieval of leaf area index for a coniferous forest by inverting a forest reflectance model. – Remote Sens. Environ. **99**: 295-303, 2005.

Roberts, S.D., Dean, T.J., Evans, D.L., McCombs, J.W., Harrington, R.L., Glass, P.A.: Estimating individual tree leaf area in loblolly pine plantations using LiDAR-derived measurements of height and crown dimensions. – Forest Ecol. Manage. **213**: 54-70, 2005.

Rouphael, Y., Rivera, C.M., Cardarelli, M., Fanasca, S., Colla, G.: Leaf area estimation from linear measurements in zucchini plants of different ages. – J. horticult. Sci. Biotechnol. **81**: 238-241, 2006.

Sbrissia, A.F., Da Silva, S.C., Molan, L.K., Sarmento, D.O.L., Andrade, F.M.E., Lupinacci, A.V., Gonçalves, A.C.: A simple method for measuring tiller volume of grasses. – Grass Forage Sci. **59**: 406-410, 2004.

Tsialtas, J.T., Maslaris, N.: Leaf area estimation in a sugar beet cultivar by linear models. – Photosynthetica **43**: 477-479, 2005.

Zhang, Y.Q., Chen, J.M., Miller, J.R.: Determining digital hemispherical photograph exposure for leaf area index estimation. – Agr. Forest Meteorol. **133**: 166-181, 2005.

F. PAR and environmental measurements

Alton, P.B., North, P., Kaduk, J., Los, S.: Radiative transfer modeling of direct and diffuse sunlight in a Siberian pine forests. – J. geophys. Res. **119**: D23209, doi: 10.1029/2005JD006060.

Leigh, A., Close, J.D., Ball, M.C., Siebke, K., Nicotra, A.B.: Leaf cooling curves: measuring leaf temperature in sunlight. – Funct. Plant Biol. **33**: 515-519, 2006.

Leuchner, M., Fabian, P., Werner, H.: Spectral multichannel monitoring of radiation within a mature mixed forest. – Plant Biol. **7**: 619-627, 2005.

Ylianttila, L., Visuri, R., Huurto, L., Jokela, K.: Evaluation of a single-monochromator diode array spectroradiometer for sunbed UV-radiation measurements. – Photochem. Photobiol. **81**: 333-341, 2005.

G. Cultivation of experimental materials and phytotronics

Banerlee, A., Sharma, R., Chisti, Y., Banerjee, U.C.: *Botryococcus braunii*: A renewable source of hydrocarbons and other chemicals. – Crit. Rev. Biotechnol. **22**: 245-279, 2002. [Bioreactors.]

Bertoni, R., Balseiro, E.: Mixing layer running incubator (MIRI): an instrument for incubating samples while moving vertically in the mixing layer. – Limnol. Oceanogr.: Methods **3**: 158-163, 2005.

Carlozzi, P., Pinzani, E.: Growth characteristics of *Arthrospira platensis* cultured inside a new close-coil photobioreactor incorporating a mandrel to control culture temperature. – Biotechnol. Bioeng. **90**: 675-684, 2005. [Solar receiver; daily biomass balance; comparison of bioreactors.]

Chen, C.-Q., Chen, F.: Growing phototrophic cells without light. – Biotechnol. Lett. **28**: 607-616, 2006. [Review, 68 ref.]

Da Silva, J.A.T., Giang, D.D.T., Tanaka, N.: Photoautotrophic micropropagation of *Spathiphyllum*. – Photosynthetica **44**: 53-61, 2006. [Cultivation system.]

Fedorov, A.S., Kosourov, S., Ghirardi, M.L., Seibert, M.: Continuous hydrogen photoproduction by *Chlamydomonas reinhardtii*. – Appl. Biochem. Biotechnol. **121**: 403-412, 2005. [Computer-controlled two-stage chemostat.]

García-Malea, M.C., Acién, F.G., Fernández, J.M., Cerón, M.C., Molina, E.: Continuous production of green cells of *Haematococcus pluvialis*: Modeling of the irradiance effect. – Enzyme microb. Technol. **38**: 981-989, 2006.

Hargreaves, J.A.: Photosynthetic suspended-growth systems in aquaculture. – Aquacult. Eng. **34**: 344-363, 2006. [Review, 86 ref.]

Laurinavichene, T.V., Fedorov, A.S., Ghirardi, M.I., Seibert, M., Tsygankov, A.A.: Demonstration of sustained hydrogen photoproduction by immobilized, sulphur-deprived *Chlamydomonas reinhartii* cells. – Int. J. Hydrogen Energy **31**: 659-667, 2006. [Scheme of a photobioreactor.]

Merchuk, J.C., Wu, X,: Modeling of photobioreactors: Application to bubble column simulation. – J. appl. Phycol. **15**: 163-170, 2003.

Mock, T., Hoch, N.: Long-term temperature acclimation of photosyntheasis in steady-state cultures of the polar diatom *Fragilariopsis cylindrus*. – Photosynth. Res. **85**: 307-317, 2005. [Steady-state culture chambers.]

Molina Grima, E., Belarbi, E.-H., Acién Fernández, F.G., Robles Medina, A., Chisti, Y.: Recovery of microalgae biomass and metabolites: process options and economics. – Biotechnol. Adv. **20**: 491-515, 2003. [Review, 82 ref.]

Nowack, E.C.M., Podola, B., Melkonian, M.: The 96-well twin-layer system: A novel approach in the cultivation of microalgae. – Protist **156**: 239-251, 2005.

Rorrer, G.L., Cheney, D.P.: Bioprocess engineering of cell and tissue cultures for marine seaweeds. – Aquacult. Eng. **32**: 11-41, 2004. [Photobioreactors, models.]

Wu, X., Merchuk, J.C.: Measurement of fluid flow in the downcomer of an internal loop airlift reactor using an optical trajectory-tracking system. – Chem. Eng. Sci. **58**: 1599-1614, 2003.

Wu, X., Merchuk, J.C.: Simulation of algae growth in a bench scale internal loop airlift reactor. – Chem. Eng. Sci. **59**: 2899-2912, 2004. [Model.]

H. Choice of useful tools and laboratory equipment

Bergey, E.A., Getty, G.M.: A review of methods for measuring the surface area of stream substrates. – Hydrobiologia **556**: 7-16, 2006. [Chl; review, 25 ref.]

Bicanic, D., Westra, E., Seters, J., Van Houten, S., Huberts, D., Colić-Barić, I., Cozijnsen, J., Boshoven, H.: Photoacoustic and optothermal studies of tomato ketchup adulterated by the red beet (*Beta vulgaris*). – J. Phys. IV France **125**: 807-810, 2005. [Photoacoustic cell.]

Goddijn, L.M., White, M.: Using a digital camera for water quality measurements in Galway Bay. – Estuar. coast. Shelf Sci. **66**: 429-436, 2006. [Chl.]

Okamoto, K., Onai, K., Furusawa, T., Ishiura, M.: A portable integrated automatic apparatus for the real-time monitoring of bioluminescence in plants. – Plant Cell Environ. **28**: 1305-1315, 2005.

Pearson, G., Lago-Leston, A., Valente, M., Serrão, E.: Simple and rapid RNA extraction from free-dried tissue of brown algae and seagrasses. – Eur. J. Phycol. **41**: 97-104, 2006.

Ren, Q., Zhao, Y.-P., Han, L., Zhao, H.-B.: A nano-mechanical device based on light-driven proton pumps. – Nanotechnology **17**: 1778-1785, 2006. [Bacteriorhodopsin, simulation of natural machinery in converting solar energy to mechanical energy.]

Ross, J.A., Zvyagin, A.V., Heckenberg, N.R., Upcroft, J., Upcroft, P., Rubinsztein-Dunlop, H.: Measurement of action spectra of light-activated processes. – J. biomed. Optics **11** (1): 1083-3668/2006/11(1)/4008/4, 2006.

Terasawa, K., Sato, N.: Visualization of plastid nucleoids in situ using the PEND-GFP fusion protein. – Plant Cell Physiol. **46**: 649-660, 2005. [Chloroplast.]

Verslues, P.E., Agarwal, M., Katiyar-Agarwal, S., Zhu, J., Zhu, J.-K.: Methods and concepts in quantifying resistance to drought, salt and freezing, abiotic stresses that affect plant water status. – Plant J. **45**: 523-539, 2006.

Wang, S.-B., Chen, F., Sommerfeld, M., Hu, Q.: Isolation and proteomic analysis of cell wall-deficient *Haematococus pluvialis* mutants. – Proteomics **5**: 4839-4851, 2005.